## **PAN PUCKS**

## For Condensate Drain Pans



Form: Solid Block

Color: Yellow, Blue, Red

**Odor:** Fresh

**pH:** N/D

**Solubility (in water):** Soluble **(in mineral spirits):** Insoluble

**VOC Content (% by weight):** N/D

Flash Point (ASTM D-7821): N/A

**Specific Gravity:**  $0.98 \pm 0.05 \text{ g/cm}^3$ 

**Density:**  $8.18 \pm 0.05 \, \text{lbs/gal}$ 

Storage Stability (at 70°F): 1 year

## <u>Ingredients</u> <u>C.A.S. #</u>

n-Alkyl dimethyl benzyl

ammonium chloride ......53516-76-0

Use In...

- Fan Coil Air Conditioner
- Ceiling Air Conditioning Units
- Roof Mounted Units
- Refrigerated Vending Machines
- **Beverage Coolers**
- Grocery Reach-In Coolers
- Cold Storage Walk-Ins

**DIRECTIONS:** The PAN PUCK is simple to install. Place the unit under the cooling coil in the middle of the pan length. Unit must be in contact with the condensate in the pan. PAN PUCK locks itself into place and will dissolve completely.

PAN PUCK – PeeWee (yellow): Treats up to 5 tons.

PAN PUCK – Jr. (blue): Treats up to 7.5 tons. PAN PUCK – Pro (red): Treats up to 15 tons.

**NOTE:** Each puck lasts 6 months based on an average 8-hour air-conditioning day.

HMIS				NFPA
	Severe	4	Extreme	
Health1	Serious	3	High	Health1
Flammability0	Moderate	2	Moderate	Flammability0
Reactivity1	Slight	1	Slight	Reactivity1
Personal Protection None	Minimal	0	Insignificant	Special PrecautionsNone